



IDAHO OIL AND GAS CONSERVATION COMMISSION
PLUGGING RECORD

DEPT. OF LANDS

DEC 06 2019

BOISE, IDAHO

Lease Name: Korn (State Lease O-02986)

Operator: AM Idaho LLC

Address: 16600 Park Row, Houston, Texas 77084

Well Number: 1-22 (USWN 11-075-20014)

Field & Reservoir: Hamilton

Location of Well: (Sec.-TWP-Range or Block & Survey) Sec 22 T7N R4W

County: Payette

Table with 4 columns: Application to Drill this Well was filed in the name of Bridge Energy, LLC; Has this Well ever produced Gas; Character of Well at Completion (initial production); Date Plugged: 11/6/2019; Total Depth: 2343'; Amount Well Producing when Plugged; Name of each formation containing oil or gas; Fluid Content of each Formation; Depth Interval of each Formation; Size, kind & depth of plugs used.

CASING RECORD

Table with 6 columns: Size pipe, Put in well (ft.), Pulled out (ft.), Left in well (ft.), Give depth and method of parting casing (shot, ripped, etc.), Packers and shoes.

Was well filled with mud-laden fluid, according to regulations?

No, cemented per IDL approval

Indicate deepest formation containing fresh water

Glens Ferry

NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE

Table with 3 columns: Name, Address, Direction from this well. Entry: Johnston Family Trust, 4440 SW 5th Ave., New Plymouth, ID 83655, Surface owner.

In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required.

Use reverse side for additional detail.

File this form in duplicate with Director, Idaho Department of Lands, Boise, Idaho.

CERTIFICATE: I, the undersigned, state that I am the Regulatory Compliance Manager of the AM Idaho LLC (company), and that I am authorized by said company to make this report and that this report was prepared under my supervision and direction and that the facts stated herein are true, correct and complete to the best of my knowledge.

12/4/2019

Date

Signature

Handwritten signature: Alana M. Kassal

- M&P 50 sx Class G cmt for a plug f/2100-1840 in 5-1/2' csg
- Set CIBP inside 2-7/8 tbg @ 1826'
- TIH w/perf gun, perf tbg @ 1823-1825' 4 spf
- M&P 193 sx Class G cmt for a plug f/1825-surf
- Dug bell hole down to conductor pipe, full of cmt to surface. Cut 5' of conductor and jackhammer cmt off 9-5/8. 2-7/8 and 5-1/2 full of cmt to surface.
- Mix 18 gal Portland cmt in 9-5/8 f/6-16'
- Weld steel plate onto 9-5/8" csg with date of P&A and API number
- Top of conductor pipe is 8' below ground level
- Backfill hole and level location