
Post Drilling/Annual Well Site Inspection Form

Section 1: General Information				
Operation Data	Inspection Data			
Operator Name	Inspector Name			
Snake River Oil + Gas, LLC	James Thum			
Well Name	Area Office			
DJS Properties #2-14, USWN 11-075-20023Authorized ContactDan Johanek (208)707-7867	Boise / Director's Inspection Date			
112 N. Plymouth Ave, New Plymouth ID 83655	11/29/2021 10:00 AM			
County	Report Date			
Payette	12/28/2021			
Inspector's Signature: /signed/ James Thum	Inspection Summary:			
	Operation appeared to be in compl of the inspection.	iance at the time		
	\square Issues of concern identified at the t	ime of the		
Date of Signature: 12/28/2021	inspection.			
Location Description: 1.29 miles SE from Little Willow Gathering Facility, 4649 Little Willow Road. Access road to left, south of LW past ML 2-10, ML 1-11 locations. Google Maps location Latitude 44.038699, Longitude - 116.783345. Well currently S/I (never produced); application for CII injection well permit. Original permit #LU600120.				
Weather- cold, 40°F, fog/inversion, wind calm.				
Scope of Inspection (check all that apply and, or, were verifi	ed during the inspection):			
🖂 Well site 🔲 Tank Battery 🖂 We	ellhead Meters Other:			
If well site, is the well a multiple zone completion?		🗌 Yes 🖂 No		
Section 2: Pits	IDA	PA 20.07.02.230		
1. Are pits located on site?		🗌 Yes 🖂 No		
A. If yes;				
i. Permitted as:	Short-term pit 🛛 Long term pit			
ii. Use Corresponding Pit Inspection Form and attach with this inspection.				
ii. Ose corresponding i it inspection i orni and	attach with this hispection.			
Section 3: Identification of Wells	IDA	PA 20.07.02.300		
1. Is a lease access road sign visible where the principal	lease road enters the lease?	🛛 Yes 🗌 No		
A. If yes; See Notes				
i. Does the sign show:				
a. The name of the lease?		🖂 Yes 🗌 No		
b. The name of the owner or operator?		∐ Yes ⊠ No		
c. The Section, Township and Range?		∐ Yes ∐ No		
2. Is a legible well site sign visible near the well?		🛛 Yes 🗌 No		
A. If yes;				
i. Does the well site sign identify the;				
a. Operator?		🗌 Yes 🖂 No		
		Yes No		
c. Well name?		Yes 🗌 No		


	d. Emergency telephone number?	🗌 Yes 🔀 No
3.	For multiple completions, is there a sign for each well head connection?	🛛 N/A 🗌 Yes 🗌 No
a		
Section 20.07.0	4: Location Operations 2.301	IDAPA
1.	Is the well site fenced? (Answer N/A if the well has not been completed and fencing is not erected) A. If Yes;	N/A Yes No
	i. Was the fence installed within 60 days of completing the facility? Unk	xnown Yes No
	ii. Does the fence appear to:	
	a. Maintain safe working conditions?	🖂 Yes 🗌 No
	b. Secure the well site?	🛛 Yes 🗌 No
	c. Prevent access by wildlife and livestock?	🛛 Yes 🗌 No
2.	Is there less than 5% vegetation on site? See Notes	🗌 Yes 🖾 No
3.	Has it been more than six months since the removal of the drilling rig? A. If No;	🛛 Yes 🗌 No
	 i. Are chemicals stored and maintained in accordance with all applicable MSDS requirements? 	🛛 N/A 🗌 Yes 🗌 No
	ii. Are all materials related to operations palletized?	N/A Yes No
	iii. Do all vehicles or materials on the site appear to be in use?	X/A Yes No
	iv. Is the site free from all trash, debris, or scrap metal on site?	Yes No
	a. If no, is all trash, debris and scrap metal pending removal kept in a wind proof container and appear emptied regularly?	🛛 N/A 🗌 Yes 🗌 No
	b. If trash or debris constitutes a fire hazard, is it removed to at least 100 feet from the facility, tanks or separators?	🛛 N/A 🗌 Yes 🗌 No
	 B. If Yes; i. Are all debris and waste materials including, but not limited to, concrete, sack bentonite and other drilling mud additives, sand, plastic, pipe, and cable associated with the drilling and completion operations removed and disposed of properly? 	🗌 Yes 🔀 No
	 Are all disturbed areas affected by drilling or subsequent operations, except areas reasonably needed for production operations or subsequent drilling operations within twelve months, reclaimed and revegetated to approximately the pre-drilling condition (in accordance with IDAPA 20.07.02.510.04-07 or to the condition specified in an agreement with the surface owner. 	🖂 Yes 🗌 No
Section	5: Accidents and Fires	IDAPA
20.07.0		
1.	Is the emergency response plan available for use or inspection?	🛛 Yes 🗌 No
	A. If yes, does the operation appear to be consistent with the response plan?	🛛 Yes 🗌 No

	2.	Is the location free of evidence of recent fires?	🖂 Yes 🗌 No
		A. If no, have they been properly reported?	\square N/A \square Yes \square No
		Ask for a spill prevention and countermeasures plan (SPCC can be located in company office). Are they aware of it?	🔀 Yes 🗌 No
		n 6: Chokes 02.312	IDAPA
		Are all flowing wells equipped with adequate chokes to properly control flow?	N/A Yes No
		n 7: Measurement of Gas 02.402	IDAPA
		Is the site a natural gas well?	TYes X No
	1,	A. If yes, is there a standard industry meter approved by the American Gas Associat	
		and capable of recording accurately the volume of natural gas produced at each w	
		B. If no, is there another methodology being utilized that has been approved by the Department?	🛛 N/A 🗌 Yes 🗌 No
		a. If yes, describe:	
	2.	Separator location and Meter System Location:	ell has never produced
		n 8: Meters 02.410	IDAPA
20.0			IDAPA
20.0)7 . (02.410	IDAPA
20.0)7 . (02.410 Type of Hydrocarbon Measuring Systems:	IDAPA
20.0)7 . (02.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Orifice Measuring System for Gas	IDAPA
20.0	9 7.0 1.	02.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Orifice Measuring System for Gas Other: None -well has never produced	
20.0	9 7.0 1. 2.	D2.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Orifice Measuring System for Gas Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently?	□ Yes □ No
20.0	07.0 1. 2. 3.	02.410 Type of Hydrocarbon Measuring Systems: □ Coriolis Measuring System for Liquids □ Orifice Measuring System for Gas ☑ Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable?	☐ Yes ☐ No ☐ Yes ☐ No
20.0	 7.0 1. 2. 3. 4. 5. tion 	D2.410 Type of Hydrocarbon Measuring Systems: □ Coriolis Measuring System for Liquids □ Orifice Measuring System for Gas ⊠ Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection?	 □ Yes □ No □ Yes □ No □ Yes □ No
20.0	 7.0 1. 2. 3. 4. 5. tion 7.0 	D2.410 Type of Hydrocarbon Measuring Systems: □ Coriolis Measuring System for Liquids □ Orifice Measuring System for Gas ☑ Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection? n 9: Tank Batteries D2.420	☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ N/A ☐ Yes ☐ No IDAPA
20.0	 7.0 1. 2. 3. 4. 5. tion 	D2.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Orifice Measuring System for Gas Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection? no.extremeters D2.420	 ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ N/A ☐ Yes ☐ No
20.0	 7.0 1. 2. 3. 4. 5. tion 7.0 	D2.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Orifice Measuring System for Gas Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection? no.extremeter 502.420 Are there tank batteries located on site?	☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ N/A ☐ Yes ☐ No IDAPA
20.0	 7.0 1. 2. 3. 4. 5. tion 7.0 	D2.410 Type of Hydrocarbon Measuring Systems: □ Coriolis Measuring System for Liquids □ Orifice Measuring System for Gas ⊠ Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection? ne there tank batteries located on site? A. If yes, are all tank batteries located at least 300 feet from any existing:	 Yes □ No Yes □ No Yes □ No Yes □ No Xes □ No N/A □ Yes □ No IDAPA Yes □ No
20.0	 7.0 1. 2. 3. 4. 5. tion 7.0 	D2.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection? n9: Tank Batteries D2.420 Are there tank batteries located on site? A. If yes, are all tank batteries located at least 300 feet from any existing: i. Occupied structures? ii. Water wells? iii. Canals?	 □ Yes □ No □ Yes □ No □ Yes □ No □ Yes □ No ○ N/A □ Yes □ No IDAPA IVA <piva< p=""> <piva< p=""> IV</piva<></piva<>
20.0	 7.0 1. 2. 3. 4. 5. tion 7.0 	D2.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Orifice Measuring System for Gas Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection? n9: Tank Batteries 02.420 Are there tank batteries located on site? A. If yes, are all tank batteries located at least 300 feet from any existing: i. Occupied structures? ii. Water wells? iii. Canals? iv. Ditches?	□ Yes No □ Yes No □ Yes No □ Yes No ○ Yes No
20.0	 7.0 1. 2. 3. 4. 5. tion 7.0 	D2.410 Type of Hydrocarbon Measuring Systems: Coriolis Measuring System for Liquids Other: None -well has never produced Are meter fittings of adequate size to measure gas efficiently? Are meters accessible and viewable? Are valves installed so pressures can be readily obtained on both casing and tubing? Are yearly meter calibration records available for inspection? n9: Tank Batteries D2.420 Are there tank batteries located on site? A. If yes, are all tank batteries located at least 300 feet from any existing: i. Occupied structures? ii. Water wells? iii. Canals?	□ Yes No □ Yes No □ Yes No □ Yes No ☑ N/A Yes No IDAPA Yes No □ Yes No


C. Are all tanks containing produced fluids or crude oil surrounded by tank dikes?	Yes No				
D. Are all tanks equipped to receive produced fluids surrounded by tank dikes?	Yes No				
i. If yes;					
a. Do the dikes have a capacity of at least 1 ½ times the volume of the largest tank?	Yes No				
b. Is all piping and manmade improvements that perforate the dike wall or tank battery floor sealed to a minimum radius of 12" from outside edge of the piping or improvement?	🗌 Yes 🗌 No				
c. Are valves and quick-connect couplers at least 18" from inside wall of tank dike?	🗌 Yes 🗌 No				
d. Is vegetation on top and outside surface properly maintained?	🗌 Yes 🗌 No				
e. Is a ladder or other permanent device installed over the tank dike to access the containment reservoir?f. Is containment reservoir free of vegetation, storm water, produced fluids, other oil and gas field related debris, trash or flammable material?E. Do drain lines have a valve installed, closed and capped off if not in use?	 ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No 				
Section 10: Inspection Comments					
Comments and Issues of Concern: Section 3- Signs are out of date; indicates AM Idaho LLC as open incorrect 24-hour emergency number.	erator with				
Section 4- Racked 2-1/2-inch production tubing stored at SE corner of the well pad. Vegetation on well pad $>5\%$ but <10%; no recent eradication appears to have been done.					
Other- water in cellar is within 1 foot of the top of the conductor casing. No gas bubbling was observed (daily solar heating had not yet occurred). 2 pressure gauges installed (one surface, one production casing) read 0 PSI; surface casing pressure gauge needle appears to be broken. Slight erosion on NW side of pad; observed on initial inspection in 2017.					
Section 11: Attachments					
List any and all attachments including photos, samples, documents, etc:					







2. Detail view of wellhead and cellar; note water level.





4. Racked production tubing stored at E corner of well pad



5. Pad erosion on NW side.

