Post Drilling/Annual Well Site Inspection Form

Section 1: General Information				
Operation Data	Inspection Data			
Operator Name Snake River Oil + Gas, LLC	Inspector Name James Thum			
Well Name	Area Office			
ML Investments #3-10, USWN 11-075-20031	Boise / Director's			
Authorized Contact: Dan Johanek (208)707-7867112 N.	Inspection Date			
Plymouth, New Plymouth ID; Tyler Hartung (208) 412-	9/29/2022 3:00 PM			
5475	D. (D.)			
County Payette	Report Date 10/4/2022			
Inspector's Signature: /signed/ James Thum	Inspection Summary:			
	Operation appeared to be in compliance at the time of the inspection.			
	☐ Issues of concern identified at the time of the			
Date of Signature: 10/17/2022	inspection.			
Location Description: 2277feet SSW from Little Willow Gathering Facility, 4649 Little Willow Road. Google Maps location Latitude 44.045220, Longitude -116.807109				
Weather: Sunny to partly cloudy, 72° with light SW wind				
Scope of Inspection (check all that apply and, or, were verifi	ed during the inspection):			
	Wellhead			
If well site, is the well a multiple zone completion?	☐ Yes ⊠ No			
Section 2: Pits	IDAPA 20.07.02.230			
1. Are pits located on site?	☐ Yes ⊠ No			
A. If yes;				
<u> </u>	Short-term pit			
ii. Use Corresponding Pit Inspection Form and	· — • ·			
ii. Ose Corresponding I it hispection Form and	attach with this hispection.			
Section 3: Identification of Wells	IDAPA 20.07.02.300			
Is a lease access road sign visible where the principal				
A. If yes;	Tease road enters the rease.			
•				
i. Does the sign show:				
a. The name of the lease?	∑ Yes ∐ No			
b. The name of the owner or operator?	⊠ Yes ∐ No			
c. The Section, Township and Range?	∑ Yes ☐ No			
2. Is a legible well site sign visible near the well?	⊠ Yes □ No			
A. If yes;				
i. Does the well site sign identify the;				
a. Operator?	∑ Yes □ No			
b. Permit number?	∑ Yes ☐ No			
c. Well name?	∑ Yes ☐ No			
d. Emergency telephone number?	∑ Yes ☐ No			
3. For multiple completions, is there a sign for each well				

Section	on 4: Loca	ation Operations	IDAPA 20.07.02.301			
	Is the well site fenced? (Answer N/A if the well has not been completed and fencing is not erected) A. If Yes;		□ N/A⊠ Yes □ No			
		as the fence installed within 60 days of completing the facility?	⊠ Yes □ No			
	ii. Do	es the fence appear to:				
		a. Maintain safe working conditions?	Yes □ No			
		b. Secure the well site?	Yes No			
		c. Prevent access by wildlife and livestock?				
2.	. Is there	less than 5% vegetation on site?	Yes No			
3.	. Has it be	een more than six months since the removal of the drilling rig?	⊠ Yes □ No			
		Are chemicals stored and maintained in accordance with all				
		applicable MSDS requirements?	N/A ☐ Yes ☐ No			
	ii.	Are all materials related to operations palletized?	N/A Yes No			
	iii.	Do all vehicles or materials on the site appear to be in use?	N/A Yes No			
	iv.	Is the site free from all trash, debris, or scrap metal on site?	⊠ Yes □ No			
in	a wind pro	a. If no, is all trash, debris and scrap metal pending removal kept oof container and appear emptied regularly?	⊠ N/A □ Yes □ No			
10		b. If trash or debris constitutes a fire hazard, is it removed to at least n the facility, tanks or separators?	⊠ N/A □ Yes □ No			
B. If Yes;						
	i.	Are all debris and waste materials including, but not limited to, See concrete, sack bentonite and other drilling mud additives, sand,	comments section			
		plastic, pipe, and cable associated with the drilling and completion operations removed and disposed of properly?	∑ Yes No			
	ii.	Are all disturbed areas affected by drilling or subsequent operations, except areas reasonably needed for production operations or	,			
		subsequent drilling operations within twelve months, reclaimed and				
		revegetated to approximately the pre-drilling condition (in accordan with IDAPA 20.07.02.510.04-07 or to the condition specified in an	ce			
		agreement with the surface owner.	Yes No			
Section	on 5: Acci	dents and Fires	IDAPA 20.07.02.302			
1.	. Is the en	nergency response plan available for use or inspection?	⊠ Yes □ No			
	A. If ye	es, does the operation appear to be consistent with the response plan?				
2.	. Is the loo	cation free of evidence of recent fires?	⊠ Yes □ No			
	A. If n	o, have they been properly reported?	N/A ☐ Yes ☐ No			
3.		a spill prevention and countermeasures plan Located at Little Willow, I in be located in company office). Are they aware of it?	New Plymouth office ⊠ Yes □ No			
	(51 00 6	in or rotated in company office. Are mey aware of it:				

Section	n 6: (Chokes		IDAPA 20.07.02.312
1.	Are	all flov	wing wells equipped with adequate chokes to properly control flow?	☐ N/A ☐ Yes ☐ No
Section	n 7: N	Measur	rement of Gas	IDAPA 20.07.02.402
			natural gas well?	⊠ Yes □ No
			is there a standard industry meter approved by the American Gas Associatio	- -
			pable of recordingaccurately the volume of natural gas produced at each wel	
	В.	If no, is	s there another methodology being utilized that has been approved by	
		the De	partment?	N/A ☐ Yes ☐ No
		a.	If yes, describe:	
2.0		1		
2. Sepa	ırator	locatio	on and Meter System Location: Well Site Little Willow Gathering Facility Dthen	ŗ.
				·· <u></u>
Section	1 8: I	Meters		IDAPA 20.07.02.410
1.	Тур	e of Hy	/drocarbon Measuring Systems:	
	$\boxtimes C$	Coriolis	Measuring System for Liquids	
		Other:		
2.			fittings of adequate size to measure gas efficiently?	∑ Yes ☐ No
3.	Are	meters	accessible and viewable?	Yes No
4.	Are	valves	installed so pressures can be readily obtained on both casing and tubing?	⊠Yes □ No
_				
5.	Are	yearly	meter calibration records available for inspection?	□ N/A⊠ Yes □ No
			•	
Section	n 9: 1	Гank В	Batteries	IDAPA 20.07.02.420
	n 9: 1 Are	Tank B	Batteries ank batteries located on site?	
Section	Are A.	Tank B there to If yes,	Batteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing:	IDAPA 20.07.02.420 ☐ Yes ⊠ No
Section	Are A.	Tank B there to If yes,	Batteries ank batteries located on site? are all tank batterieslocated at least 300 feet from any existing: Occupied structures?	IDAPA 20.07.02.420 ☐ Yes ☐ No ☐ Yes ☐ No
Section	Are A.	Tank B there to If yes, a i. ii.	Batteries ank batteries located on site? are all tank batterieslocated at least 300 feet from any existing: Occupied structures? Water wells?	Yes No Yes No Yes No No Yes No No Yes No No No No No No No N
Section	Are A.	Tank B there to If yes, a i. ii. iii.	Satteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A	Yes
Section	Are A.	Tank B there to If yes, a i. ii.	Satteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches?	Yes
Section	Are A. 1	Tank B there to If yes, a i. ii. iii. iv. v.	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters?	Yes
Section	Are A. 1	Tank B there to If yes, i. ii. iii. iv. v. Is locat	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost	Yes
Section	Are A. B. porti	Tank B there ta If yes, a i. ii. iii. iv. v. Is locat ion of t	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike?	Yes No Yes Yes No Yes Yes
Section	Are A	Tank B there ta If yes, a i. ii. iii. iv. v. Is locat ion of t Are all	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes?	Yes
Section	Are A. B. porti	Tank B there to If yes, s i. ii. iii. iv. v. Is locat ion of t Are all	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes? tanks equipped to receive produced fluids surrounded by tank dikes?	Yes No Yes Yes No Yes Yes
Section	Are A. B. porti	Tank B there ta If yes, a i. ii. iii. iv. v. Is locat ion of t Are all	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes? tanks equipped to receive produced fluids surrounded by tank dikes? If yes;	Yes
Section	Are A. B. porti	Tank B there to If yes, s i. ii. iii. iv. v. Is locat ion of t Are all	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes? tanks equipped to receive produced fluids surrounded by tank dikes?	Yes
Section	Are A. B. porti	Tank B there ta If yes, i. ii. iii. iv. v. Is locat ion of t Are all i. a.	ank batteries located on site? are all tank batterieslocated at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes? tanks equipped to receive produced fluids surrounded by tank dikes? If yes; Do the dikes have a capacity of at least 1 ½ times the volume of the largest	Yes
Section	Are A. B. porti	Tank B there to If yes, i. ii. iii. iv. v. Is locat ion of t Are all Are all i.	ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes? tanks equipped to receive produced fluids surrounded by tank dikes? If yes;	Yes
Section	Are A. B. porti	Tank B there ta If yes, i. ii. iii. iv. v. Is locat ion of t Are all i. a.	ank batteries located on site? are all tank batterieslocated at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes? tanks equipped to receive produced fluids surrounded by tank dikes? If yes; Do the dikes have a capacity of at least 1 ½ times the volume of the largest Is all piping and manmade improvements that perforate the dike wall or tanks.	Yes
Section	Are A. B. porti	Tank B there ta If yes, i. ii. iii. iv. v. Is locat ion of t Are all i. a.	Batteries ank batteries located on site? are all tank batterieslocated at least 300 feet from any existing: Occupied structures? Water wells? Canals? N/A Ditches? Natural or ordinary high water mark of surface waters? tion at least 50 feet from highways when measured from outermost the tank dike? tanks containing produced fluids or crude oil surrounded by tank dikes? tanks equipped to receive produced fluids surrounded by tank dikes? If yes; Do the dikes have a capacity of at least 1 ½ times the volume of the largest Is all piping and manmade improvements that perforate the dike wall or tar battery floorsealed to a minimum radius of 12" from outside edge of the pi	Yes

 e. Is a ladder or other permanent device installed over the tank dike to access the containment reservoir? f. Is containment reservoir free of vegetation, storm water, produced fluids, other oil and gas field related debris, trash or flammable material? E. Do drain lines have a valve installed, closed and capped off if not in use? 	 ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No 				
Section 10: Inspection Comments					
Comments and Issues of Concern:					
Surface casing: 250 psi Production casing: 379 psi (digital) 500 psi (analog) Tubing string: 333 psi (analog & digital)					
Cellar is not gravel-filled but contains debris and trash, including pallets. The cellar casing is also being extensively burrowed by wildlife of unknown types. Well pad is being used for storage of tanks, casing and tubing, pipeline risers and other equipment.					
21 photos uploaded to well file folder					
Section 11: Attachments List any and all attachments including photos, samples, documents, etc:					

Entrance to well pad, view south. Spare equipment stored along SW fenceline.

View of animal burrowing activity around cellar casing.

Wellhead view looking SE. 400 bbl storage tanks being stored on site along SE perimeter of well pad.

View of wellhead cellar showing pallets and other debris around surface casing.

SW border of well pad, view NW. Area currently being used for equipment storage.

Northwest perimeter of well pad, view west. Well casing and production tubing being stored in this area.

