Post Drilling/Annual Well Site Inspection Form

Section 1: General Information				
Operation Data	Inspection Data			
Operator Name	Inspector Name			
Snake River Oil + Gas, LLC Well Name	James Thum Area Office			
DJS Properties #2-14, USWN 11-075-20023	Boise / Director's			
Authorized Contact Dan Johanek (208)800-9503	Inspection Date			
112 N. Plymouth, New Plymouth ID	11/13/2023			
County	Report Date			
Payette	12/7/2023 12:45 PM			
Inspector's Signature:	Inspection Summary:			
James Thum	Operation appeared to be in compliance at the time of the inspection.			
0	Issues of concern identified at the time of the			
Date of Signature: 12/7/2023	inspection.			
Location Description: 1.29 miles SE from Little Willow Ga	athering Facility, 4649 Little Willow Road. Google Maps			
location Latitude 44.038699, Longitude -116.783345. EPA (effective 12/19/2022. Well is currently S/I, never produced	Class II UIC permit #ID-2D001A issued 11/3/2022,			
Weather: Overcast, calm winds 48°F				
Scope of Inspection (check all that apply and, or, were verifi-	ied during the inspection):			
	Yes ⋈ No			
If well site, is the well a multiple zone completion?				
Section 2: Pits	IDAPA 20.07.02.230			
1. Are pits located on site?	☐ Yes ⊠ No			
A. If yes;				
i. Permitted as:	Short-term pit			
ii. Use Corresponding Pit Inspection Form and attach with this inspection.				
ii. Ose corresponding the inspection form and	utuali witi tiilo iilopeettoin			
Section 3: Identification of Wells	IDAPA 20.07.02.300			
1. Is a lease access road sign visible where the principal	l lease road enters the lease? \(\sum \text{ Yes } \subseteq \text{ No}			
A. If yes;				
i. Does the sign show:				
a. The name of the lease?				
b. The name of the owner or operator?	See Notes Yes No			
c. The Section, Township and Range?	⊠ Yes ∐ No			
2. Is a legible well site sign visible near the well?	∑ Yes □ No			
A. If yes;				
i. Does the well site sign identify the;				
a. Operator?	☐ Yes ⊠ No			
b. Permit number?	∑ Yes ☐ No			
c. Well name?	∑ Yes ☐ No			
d. Emergency telephone number?	☐ Yes ⊠ No			

3.	For m	ultiple completions, is there a sign for each well head connection?	N/A Yes No
G	4 T		ID A DA
Section 20.07.0		cation Operations	IDAPA
		well site fenced?	□ N/A □ Yes ⋈ No
		ver N/A if the well has not been completed and fencing is not erected)	
	A. If	,	□ Vag □ Na
	i. Was the fence installed within 60 days of completing the facility?		∐ Yes ∐ No
	ii. D	Does the fence appear to:	
		a. Maintain safe working conditions?	Yes No
		b. Secure the well site?	Yes No
		c. Prevent access by wildlife and livestock?	Yes No
2.	Is ther	e less than 5% vegetation on site?	⊠ Yes □ No
3.	Has it A. If	been more than six months since the removal of the drilling rig?	⊠ Yes □ No
	i.	Are chemicals stored and maintained in accordance with all	
		applicable MSDS requirements?	N/A ☐ Yes ☐ No
	ii.	Are all materials related to operations palletized?	N/A ☐ Yes ☐ No
	iii.	Do all vehicles or materials on the site appear to be in use?	⊠ N/A □ Yes □ No
	iv.	Is the site free from all trash, debris, or scrap metal on site?	☐ Yes ☐ No
		a. If no, is all trash, debris and scrap metal pending removal kept in a wind proof container and appear emptied regularly?	N/A Yes No
		b. If trash or debris constitutes a fire hazard, is it removed to at least 100 feet from the facility, tanks or separators?	N/A ☐ Yes ☐ No
	B. If i.	Yes; Are all debris and waste materials including, but not limited to,	
		concrete, sack bentonite and other drilling mud additives, sand,	
		plastic, pipe, and cable associated with the drilling and completion operations removed and disposed of properly? See Notes	☐ Yes ⊠ No
	ii.	Are all disturbed areas affected by drilling or subsequent operations, except areas reasonably needed for production operations or	
		subsequent drilling operations within twelve months, reclaimed and	
		revegetated to approximately the pre-drilling condition (in accordance with IDAPA 20.07.02.510.04-07 or to the condition specified in an	
		agreement with the surface owner.	∑ Yes □ No
Section	n 5: <u>Ac</u>	cidents and Fires	IDAPA
20.07.0			
1.	Is the	emergency response plan available for use or inspection?	Yes □ No
	A. If	yes, does the operation appear to be consistent with the response plan?	Yes □ No

2	Is the locati	on free of evidence of recent fires?	∑ Yes ☐ No
	A. If no,	have they been properly reported?	N/A ☐ Yes ☐ No
2	A alr for a a	will anaryoution and assumtants assumes also	
3		pill prevention and countermeasures plan se located in company office). Are they aware of it?	∑ Yes □ No
		documents maintained at New Plymouth office and Little Willow GF; no	chems on site
Section	on 6: Chokes		IDAPA
20.07	.02.312		
1	. Are all flow	ving wells equipped with adequate chokes to properly control flow?	N/A ☐ Yes ☐ No
~ .			
	on 7: Measui .02.402	rement of Gas	IDAPA
		natural gas well?	☐ Yes ⊠ No
		is there a standard industry meter approved by the American Gas Associat	- -
	and cap	pable of recording accurately the volume of natural gas produced at each v	vell? Yes No
		s there another methodology being utilized that has been approved by	M N/A M V Ma
	•	partment?	N/A ☐ Yes ☐ No
	a.	If yes, describe:	
2.		location and Meter System Location:	
	☐ Well S	Site Little Willow Gathering Facility NA – wel	ll has never produced
	Wen a	The Bride which Gamering Facility School 1411 We	ll has never produced
	on 8: Meters	_	IDAPA
20.07	on 8: Meters .02.410		•
	on 8: Meters .02.410 Type of Hy	vdrocarbon Measuring Systems:	•
20.07	on 8: Meters .02.410 Type of Hy Corioli	vdrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas	•
20.07	on 8: Meters .02.410 Type of Hy Corioli Other:	vdrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None	IDAPA
20.07 1	on 8: Meters .02.410 Type of Hy Corioli Other:	vdrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently?	IDAPA
20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter for	vdrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable?	IDAPA
20.07 1 2 3 4	on 8: Meters .02.410 Type of Hy Corioli Other: Are meters Are walves	Adrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing?	IDAPA
20.07 1 2 3	on 8: Meters .02.410 Type of Hy Corioli Other: Are meters Are walves	vdrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable?	IDAPA
20.07 1 2 3 4 5	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter to Are meters Are valves Are yearly on 9: Tank B	vdrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection?	IDAPA
20.07 1 2 3 4 5 Secti 20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter for the Are walves Are yearly on 9: Tank B	vdrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection?	IDAPA Yes No Yes No Yes No Yes No Yes No N/A Yes No
20.07 1 2 3 4 5	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter f Are meters Are valves Are yearly on 9: Tank B .02.420 Are there ta	Addrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection? Satteries ank batteries located on site?	IDAPA Yes No Yes No Yes No No Yes No No No No No No No N
20.07 1 2 3 4 5 Secti 20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter for the Are walves Are yearly on 9: Tank B .02.420 Are there to A. If yes,	Adrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection? Satteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing:	IDAPA Yes No Yes No Yes No Yes No Yes No Yes No IDAPA Yes No
20.07 1 2 3 4 5 Secti 20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter f Are walves Are yearly on 9: Tank B .02.420 Are there ta A. If yes, a	Adrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection? Satteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures?	Yes
20.07 1 2 3 4 5 Secti 20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter for the Are walves Are yearly on 9: Tank B .02.420 Are there to A. If yes,	Adrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection? Satteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing:	IDAPA Yes No Yes No Yes No Yes No Yes No Yes No IDAPA Yes No
20.07 1 2 3 4 5 Secti 20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter for the Are walves Are yearly on 9: Tank B .02.420 Are there to A. If yes, for it.	Addrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection? satteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells?	Yes
20.07 1 2 3 4 5 Secti 20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter for the Are walves Are yearly Tank B .02.420 Are there to A. If yes, for it. iii.	Addrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection? Batteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? NA – no tanks on site	Yes
20.07 1 2 3 4 5 Secti 20.07	on 8: Meters .02.410 Type of Hy Corioli Other: Are meter for Are walves Are yearly Tank B .02.420 Are there to A. If yes, for it. ii. iii. iv. v.	Adrocarbon Measuring Systems: s Measuring System for Liquids Orifice Measuring System for Gas None fittings of adequate size to measure gas efficiently? accessible and viewable? installed so pressures can be readily obtained on both casing and tubing? meter calibration records available for inspection? atteries ank batteries located on site? are all tank batteries located at least 300 feet from any existing: Occupied structures? Water wells? Canals? NA – no tanks on site Ditches?	Yes

C. Are all tanks containing produced fluids or crude oil surrounded by tank dikes?	Yes No
D. Are all tanks equipped to receive produced fluids surrounded by tank dikes?	☐ Yes ☐ No
i. If yes;	
a. Do the dikes have a capacity of at least 1 ½ times the volume of the largest tank?	Yes No
b. Is all piping and manmade improvements that perforate the dike wall or tank battery floor sealed to a minimum radius of 12" from outside edge of the piping or improvement?	Yes No
c. Are valves and quick-connect couplers at least 18" from inside wall of tank dike?	Yes No
d. Is vegetation on top and outside surface properly maintained? NA – no tanks installed on site	☐ Yes ☐ No
e. Is a ladder or other permanent device installed over the tank dike to access the containment reservoir?	☐ Yes ☐ No
f. Is containment reservoir free of vegetation, storm water, produced fluids, other oil and gas field related debris, trash or flammable material?	☐ Yes ☐ No
E. Do drain lines have a valve installed, closed and capped off if not in use?	☐ Yes ☐ No
Section 10: Inspection Comments	
Comments and Issues of Concern:	
Comments and issues of Concern.	
Section 3, Item 1: Well signs are out of date and show the name of the former operator. Emergency is incorrect.	number is
Section 4, Item 3B: 2-7/8" tubing is stored at eastern corner of the well pad, but does not present any	concerns.
Surface casing= NA (no gauge installed) Production casing = 0 psi (analog) Tubing string= 0 psi (analog)	
Minor pad erosion noted on northwest perimeter of well pad. Not new, not expanding.	
No recent activity apparent on well site associated with injection well construction.	
1	

Section 11: Attachments

List any and all attachments including photos, samples, documents, etc:

12 photos uploaded to well files 11/30/2023

DJS 2-14 well pad. Well head to right of the inspection vehicle, racked 2-7/8" tubing left of vehicle. View is East.



View of well head and open cellar, sign, and production casing analog pressure gauge.



Well pad erosion on northwest perimeter. View is West.

Racked 2-7/8" tubing strings at eastern corner of well pad. View is east. Tubing has been stored here since at least 2016 and does not present any concerns.

